

# HOSTAZYM<sup>®</sup> X

## MICROGRANULATE

### Inclusion Rate 50 g/ton

#### ENZYME FEED ADDITIVE

#### PRODUCT DESCRIPTION

An enzyme preparation of endo-1,4-beta-xylanase (EC 3.2.1.8) produced by *Trichoderma* sp. having a minimum activity of 30000 EPU/g.

#### RECOMMENDED INCLUSION RATE

For use in compound feed rich in non-starch polysaccharides (mainly arabinoxylans), e.g. containing more than 40% wheat.

To be used exclusively for the manufacture of feedingstuffs for chickens for fattening, turkeys for fattening, laying hens, piglets and pigs for fattening.

The recommended doses are as follows:

Species or category of animal	Units of activity per kg of complete feedingstuff		Recommended inclusion rate of Hostazym X, g/ton of feedingstuff
	Minimum activity per kg of complete feedingstuff	Maximal activity per kg of complete feedingstuff	
Chickens for fattening	1500 EPU	-	50
Turkeys for fattening	1500 EPU	-	50
Laying hens	1500 EPU	-	50
Piglets	1500 EPU	-	50
Pigs for fattening	1500 EP U	-	50

#### DIRECTIONS FOR USE

To guarantee stability for a minimum of 24 months, Hostazym<sup>®</sup> X must be stored unopened in the original packaging in a dry place at room temperature.

Temperatures above 85°C during pelleting may reduce the enzymatic activity.

#### OPERATOR WARNINGS

May cause sensitization by inhalation. Do not inhale dust. Wear personal protective devices such as particle filter mask, rubber gloves, safety glasses and protective clothing while handling the product.

**Batch No**  
**Mfg. date**  
**Exp. date**  
**Net weight**  
**Gross weight**

**20 kg**



Harmful (Xn)

**MANUFACTURER**  
HUVEPHARMA AD  
[www.huvepharma.com](http://www.huvepharma.com)  
**DISTRIBUTOR**  
AgriHealth NZ Limited  
[www.agrihealth.co.nz](http://www.agrihealth.co.nz)

